

**From:** [Charvel Condon](#)  
**To:** [HHC Exhibits](#)  
**Subject:** House Bill 3063  
**Date:** Wednesday, February 27, 2019 9:41:09 PM

---

Hi, my name is Charvel Condon

We should be made more aware of the REAL risk regarding vaccines. You may believe they are safe and effective, but they are not. Please oppose House Bill 3063

I asked all the questions but I was asking the wrong doctors. WONDERFUL doctors yes but trained in one way – mainstream medicine & the one size fits all with vaccinations. They told me that a weak immune system (immunocompromised right?) needed to be protected and that not giving vaccinations would compromise his immune system and leave him vulnerable. So I let my six pound baby be vaccinated. He received 7 different vaccinations (diphtheria, tetanus, pertussis, hib, hep B, hpv, Polio,) combined into 3 shots. He was given more toxins than a grown man should receive. He was very lethargic but they said it was fine. In a few weeks he ended up having pneumonia from aspirating which I feel would have been completely avoidable if he wasn't vaccinated and his immune system would have been stronger to fight. I still didn't know any better and he did have two more rounds of vaccinations. After his second round, he had a fever so I gave Tylenol (which I've now learned is not good as it depletes glutathione). He was very restless and would not sleep unless he was held which was very counter character. He was having a vaccine reaction that is considered normal but its actually encephalitis. After his third round of vaccinations he ended up with seizures, infantile spasms. I began looking about why he has seizures and I learned it was due to the ingredients inside vaccines and that he doesn't detoxify well. These adjuvants are not safe.

Round 1 (his due date was 11/22/2016)

Immunization	Date
DTaP/Hep B/IPV (Pediarix)	11/10/2016
HiB 4 Dose	11/14/2016
Pevnar	11/15/2016

Originally I didn't want to give anything I wasn't given but I was guilt tripped into them. Maybe a week or so later, he got pneumonia from aspiration. I fully believe if he wasn't vaccinated, he wouldn't of gotten pneumonia and then we may have never had to get a feeding tube..

Round 2 – fever.. then gave Tylenol.

Then learned Tylenol depletes glutathalion which is already depleted in DS.  
I didn't know the other havoc that was occurring...

Round 3 – less than 2 weeks later Isaac showed infantile spasms.  
Stopped all vaccination.

He should have never been vaccinated in NICU. His immune system was already compromised from early birth (born gestational age 29 weeks & 5 days at 2 pounds 3 oz) but also having Down syndrome. No vaccine has ever been studied in the Down syndrome population for safety or side effects. He also probably doesn't keep the immunity from the vaccinations he has received. We have chosen to no longer vaccinate and although he may be able to receive a medical exemption, that is not for certain.

MMR vaccines carry a high rate of side effects, and it is unethical to require parents to have their children vaccinated with MMR vaccines to attend daycare or school. Parents must be able to choose whether or not they want to vaccinate their children with this potentially dangerous vaccine.

MMR vaccines contain live viruses; therefore the vaccines can cause measles. Package inserts warn about vaccine strain virus infection and shedding. There have been published reports of vaccine strain measles infection with clinical symptoms that are indistinguishable from wild-type measles. There are also reports of measles vaccine strain virus shedding and lab confirmed infection in children following MMR vaccination. <https://www.nvic.org/vaccines-and-diseases/Measles/measles-vaccine-injury-death.aspx>

One of the most basic human rights is that of bodily autonomy—as supported by the Nuremberg Code. When there is risk, there must be choice. We must remember that ethical medicine requires prior, completely voluntary and fully informed consent, yet there continues to be a concerted effort to deny our freedoms, while pushing a one-size-fits-all vaccine agenda.

Aluminum is a neurotoxic. Aluminum Adjuvants Effects on the Brain:

Vaccine Ingredients:

Safety maximum levels of Aluminum per the FDA:

1. 8lb baby - 18.6 mcg Aluminum
2. 15lb baby – 34.5 mcg Aluminum
3. 30lb toddler – 68.1 mcg Aluminum
4. 50lb child – 113 mcg Aluminum
5. 150lb adult – 340.5 mcg Aluminum
6. 350lb adult – 794.5 mcg Aluminum

How much aluminum is in the vaccines that are routinely given to children? **(Keep in mind the FDA says the safe amount is only 5mcg/kg.)**

1. Hib – 225 mcg Aluminum
2. Hep B – 250 mcg Aluminum
3. DTaP – 170 – 625 (depending on the manufacture) mcg Aluminum
4. Pneumococcus – 125 mcg Aluminum
5. Hep A – 250 mcg Aluminum

6. HPV – 225 mcg Aluminum
  7. Pentacel (dtap, hib, & Polio combo) – 330 mcg Aluminum
  8. Pediarix (dtap, hep b, & Polio combo) – 850 mcg Aluminum
- Hep B facts about newborns in the USA:

1. If baby is born at 8lbs, the amount of the Heb B vaccine given at birth, is 14x the “safe” amount.

At the 2m, 4m, and 6m appointments these vaccines routinely given combined add up to more than 1,000 mcg of Aluminum. According to the FDA limits that amount isn't even safe for a 350lb adult.

In conclusion, I implore you to consider these facts before passing such a callous bill as HB3063

Thank you for your time,

Charvel Condon