

February 26, 2019

I am writing you in opposition HB3063. I am not anti-vaccine just pro informed consent and as a well-educated mother I believe you should be able to decide what can be injected into your child. I work in health care, have a master's degree and have done my research. I am a vaccine injured child myself and know firsthand that pharmaceutical companies are not held accountable for the damages they cause. If given a choice I would have picked measles any day over the medical nightmare I have had as a result of the MMR vaccine. Not allowing children that are not vaccinated to attend school without a medical exemption is just silly. Those same children will be at the grocery store, at concerts and other public events. Will they be forbidden to be allowed in public? At college? At work? The list goes on and on. If vaccines are so trustworthy it makes absolutely no sense that one should be so worried about contracting a disease from those unvaccinated. In 1986 a 60 billion dollar pharmaceutical industry successfully bought legislation that makes them free of all liability when they do cause harm. Why would they need to be free of the liability if in fact they do not cause harm? If polio for example was to go around today it would have morphed so greatly that none of our current vaccines would even be effective. Polio is just one of the many examples of a disease that was not irradiated by vaccine but simply died off over time. Just like measles that is cyclical. Please see attached data. Why if vaccines are safe and effective would the pharmaceutical companies need the protection from legal recourse? IT IS COMMON SENSE. Vaccines are deemed safe and effective by those selling them. I am happy to provide you with the countless studies that I have read from factual sources if you are interested.

On another note I am being asked to trust Health and Human Services (HHS) who is supposed to twice yearly file a vaccine safety report and openly admitted to not filing a report in over 30 years! There is no accountability or recourse for the injuries vaccines cause. You only have to step foot into a public school to see the rampant results in the increase in behavior and disorders that we simply did not see 40 years ago. The only thing that has drastically changed in this time is the amount of required vaccines. This is not merely a coincidence.

Vaccines are very clearly linked to the increasing dramatic rise in Autism in this country. Pharmaceutical companies profit off of autism and will never actually let independent studies be done. Mary Megson, MD and V. Singh MD have done extensive research and studies on this and found that when children are given the MMR vaccine it causes a vitamin A deficiency and 55% of families in a 400 case study noted that the autism appeared after the MMR vaccines and 33% said that it took place after the DPT vaccine.

Both sides should be considered when looking at a bill that will exempt children from school. Most of us that have done our research will chose to homeschool as we can't in good faith inject these toxins into our children. If we lived in one of the many other developed countries we could get vaccines that do not contain the toxins we so liberally allow in our vaccines and this would not be an issue but we live in the USA where big Pharma rules and are not given this option. Please listen to Robert Kennedy Jr, Dr Suzanne Humphries, Dr John Bergman and Dr Jack Wolson to name a few of the well educated people on the subject don't just read studies published by big pharmaceutical companies whom fund the studies.

These choices should be left up to the people. It is our body, our rights and our choices. How is it not tyranny to take this choice away? Is it not concerning and common sense to wonder why vaccine producers "donate" millions of dollars every year to those who create the vaccine schedules (Academy of Pediatrics". Who will be held accountable if I am forced to inject my child with all these vaccines and he becomes unrecognizable as himself and in anguish? No one.

Have you or anyone you know actually read the vaccine pamphlets? Were you aware that in 1986 when the liability of the vaccines were taken away the schedule increased from 20 doses to now over 70 doses! Are you aware that autoimmune disease and neurological damages in our children in the 80s was about 12% and is currently over 56% and goes up annually? No one seems to care about this connection! They are on a hunt for the pharmaceutical companies to increase profits with no accountability. Does everyone just think auto immune and neurological conditions are magically increasing and have no correlation? Do you think pharmaceutical companies would ever allow for that study to be done?

I am simply begging that you let parents make informed choices for their children. If those who want to vaccinate do so then let them and they can feel protected. But it makes no sense that if vaccines work so well why are they concerned that my non-vaccinated child would cause them any harm? I know you have probably been fed lies on herd vaccination but I urge you to look into those false studies with fresh eyes. Measles failed to be eradicated after the vaccine rate reached the 70-75% marker that they thought would ensure herd immunity in 1967. They then kept raising the number to ensure herd immunity and now say a 95% rate is needed yet outbreaks occur in fully vaccinated populations as the vaccine itself does not work. Please see attached US measles mortality rates and you can clearly see that measles declined well before the vaccine was even administered in 1964. Please see attached PDF for slides and supporting documents.

Please consider with new eyes willing to learn and not just be educated by those selling vaccines. Campaign contributions from Big Pharma/Vaccine injurers. Rep. Greg Walden REPUBLICAN HOUSE OR (DISTRICT 2) CURRENT CYCLE \$302,300 TOTAL SINCE 2007 \$883,542. This is who is presenting the bill I was told on Thursday! Really!

<https://khn.org/news/campaign/?fbclid=IwAR0Z2XujR0mOgphKSlyMfPIM8BcMBQybLezq9wNE678JD5PQen7Gb8Tgz8o>

Respectfully yours,

Aylee Rhea

Gearhart, County of Clatsop Oregon 97138

Sent from my iPhone

Congressional Investigation on the link between Autism and Vaccination On April 6, 2000 Republican Dan Burton ...increasing scientific evidence linking vaccination to the increasing dramatic rise in Autism in this country.

Mary Megson, MD explained that autistic children have a total deficiency of Vitamin A as early on as 15 months of age. Her research shows it is directly related to the MMR (Measles, Mumps, Rubella) vaccine. Also in her research she found the Pertussis toxoid found in the DPT shot disrupted certain proteins needed for retinal formation. This finding accounts for the prevalence of night blindness and loss of 3 dimensional vision in autistic children.


John O'Leary, Ph.D. in molecular biology found measles virus in the gut of 96% of autistic children compared to 6.6% of normal children. Dr. O'Leary reports that the virus did not come from natural sources it came from the MMR vaccine. He also stated finding the measles virus in 75% of children with Crohn's Disease.

Congressional Investigation on the link between Autism and Vaccination On April 6, 2000 Republican Dan Burton ...increasing scientific evidence linking vaccination to the increasing dramatic rise in Autism in this country.

V. Singh, MD studied over 400 cases of autism and found that these children experienced an autoimmune episode, in which their bodies where made to attack their own nervous system. He stated that 55% of the families stated that the autism appeared after the MMR vaccine and 33% stated autism appeared after the DPT vaccine was administered.

Andrew Wakefield, MD noted an almost 100% incidence of Lymphoid Nodular Hyperplasia or swollen lumps throughout the intestinal system of autistic children. The condition typically follows soon after the MMR shot is administered. He also found that the intestine of newborns cannot function properly because of this swollen condition thus allowing undigested toxins to be stored in the liver.

Kathy Pratt, Ph.D. stated that ONE in FOUR HUNDRED children in Indiana are autistic! She stated that autism is now more common than Down's Syndrome



MMWR (2009) reported that the US Centers for Disease Control and Prevention (CDC) ... US. 64 cases of measles were noted between January 1 and April 15 2008.

A widespread outbreak of measles was reported across Europe during European Immunization Week (April 25, 2011). Some 6,500 cases of measles were reported in 30 countries according to WHO's press release.

MMWR Wkly Rep 2012; 61: 253-257 reported a quadruple increase in the incidence of measles in 2011. ... The outbreaks were blamed on imported measles cases

(1973) concluded that measles vaccines were not provoking a proper immunological response in vaccinated children.

(1984) summarized data on the ineffectiveness of re-vaccination published by several authors, who demonstrated that "antibody titer in re-immunised children may fall after several months to very low levels, and that children vaccinated twice may still experience clinically recognizable measles, although in a much milder form". They concluded that, **"this state in which a child is immunologically sensitized, but not immune to infection, we shall call inadequate immunity."**

Measles History

- 900 AD, Rhazes, a Persian physician, distinguished measles from smallpox

- 1676, Thomas Sydenham, MD, distinguished measles from scarlet fever

- 1757 Francis Home, MD, successfully infected healthy patients with blood from patients with measles in 1757

- 1916, Charles Nicolle, MD, and Ernest Conseil, MD, French researchers, discovered that people with measles developed protective antibodies in their blood, making them immune to the disease; the researchers used a serum made of the antibodies to show that the antibodies could protect healthy people from the virus

- 1954, Thomas Peebles, MD, isolated the measles virus from a blood sample of 13-year-old David Edmonston

Measles History

•**900 AD**, Rhazes, a Persian physician, distinguished measles from smallpox

•**1676**, Thomas Sydenham, MD, distinguished measles from scarlet fever

•**1757** Francis Home, MD, successfully infected healthy patients with blood from patients with measles in 1757

•**1916**, Charles Nicolle, MD, and Ernest Conseil, MD, French researchers, discovered that people with measles developed protective antibodies in their blood, making them immune to the disease; the researchers used a serum made of the antibodies to show that the antibodies could protect healthy people from the virus

•**1954**, Thomas Peebles, MD, isolated the measles virus from a blood sample of 13-year-old David Edmonston

MMWR (2009) reported that the US Centers for Disease Control and Prevention (CDC) ... US. 64 cases of measles were noted between January 1 and April 15 2008.

A widespread outbreak of measles was reported across Europe during European Immunization Week (April 25, 2011). Some 6,500 cases of measles were reported in 30 countries according to WHO's press release.

MMWR Wkly Rep 2012; 61: 253-257 reported a quadruple increase in the incidence of measles in 2011. ... The outbreaks were blamed on imported measles cases

(1973) concluded that measles vaccines were not provoking a proper immunological response in vaccinated children.

(1984) summarized data on the ineffectiveness of re-vaccination published by several authors, who demonstrated that "antibody titer in re-immunised children may fall after several months to very low levels, and that children vaccinated twice may still experience clinically recognizable measles, although in a much milder form". They concluded that, "**this state in which a child is immunologically sensitized, but not immune to infection, we shall call inadequate immunity.**"

Increased risk of non-influenza respiratory virus infections associated with receipt of inactivated influenza vaccine

Abstract

We randomized 115 children to trivalent inactivated influenza vaccine (TIV) or placebo.

Over the following 9 months, TIV recipients had increased risk of virologically-confirmed non-influenza infections (relative risk: 4.40; 95% confidence interval: 1.31-14.8).

Being protected against influenza, TIV recipients may lack temporary non-specific immunity that protected against other respiratory viruses.

Herd Immunity ... Not Based in fact

In November 1966, in announcing a mass vaccination program for measles that would exceed the 55% level reached in Baltimore, the U.S. Public Health Service confidently announced that "Effective use of these vaccines during the coming winter and spring should insure the eradication of measles from the United States in 1967."

Then when that didn't work....

When measles failed to be eradicated, public health experts decided that a 70% or 75% vaccination rate would secure herd immunity. When that proved wrong, the magic number rose to 80%, 83%, 85%, and then it became 90%, according to a 2001 Health Services Research report. Later health experts commonly cited 95%.

But that too was insufficient — measles outbreaks occur even when the vaccinated population exceeds 95%, leading some to say a 98% or 99% vaccination rate is needed to protect the remaining 1% or 2% of the herd. But even that may fall short, since outbreaks occur in fully vaccinated populations.



A UNIVERSITY OF PITTSBURGH STUDY SHOWED VACCINES ALTERED THE BEHAVIOR IN MONKEYS

- a macaque monkey (primates) study of the very same vaccines given to children during 1994-1999. Laura Hewitson, PhD
- "Vaccine-exposed and saline-injected control infants [monkeys] underwent MRI and PET imaging at approximately 4 and 6 months of age, representing two specific timeframes within the vaccination schedule. ..."
- "These results suggest that maturational changes in amygdala volume and the binding capacity of [11C]DPN in the amygdala was significantly altered in infant macaques receiving the vaccine schedule." "many significant differences in the GI tissue gene expression profiles between vaccinated and unvaccinated animals."
- **biological changes and altered behaviors did occur in vaccinated monkeys, which resembled ... ASD diagnosed children.**
- **no such symptoms showing or present in unvaccinated monkeys.**
- *Research Paper: Neurobiological Experiments* In 2010 and titled "Influence of pediatric vaccines on amygdala growth and opioid ligand binding in rhesus macaque infants: A pilot study."

CDC 2011 Recommendation

22 Medical Studies That Show Vaccines Can Cause Autism

USA Babies to 18 months old:

- 4 doses of Hep B
- 3 doses of rotavirus
- 4 doses of DTaP9 (diphtheria, tetanus, pertussis)
- 4 doses of Hib (haemophilus influenza B)
- 4 doses of pneumococcal vaccine (prevnar 13)
- 3 doses of polio vaccine
- 2 doses of Flu vaccine
- 1 MMR (measels, mumps, rubella)
- 1 chicken pox vaccine



'ASIA' - autoimmune/inflammatory syndrome induced by adjuvants.

J Autoimmun. 2011 Feb;

The role of various environmental factors in the pathogenesis of immune mediated diseases is well established.

Of which, factors entailing an immune adjuvant activity such as infectious agents, silicone, aluminium salts and others were associated with defined and non-defined immune mediated diseases both in animal models and in humans.

- Siliconosis
- Gulf war syndrome (GWS)
- macrophagic myofasciitis syndrome (MMF)
- post-vaccination phenomena

Get Educated and Share this Info:

Vran.org	Sanevax.org
Vaclib.org	vaccinationcouncil.org
NVIC.org	vaccinetruth.org
greenmedinfo.com	drsuzanne.net
thinktwice.org	drtenpenny.com
thedoctorwithin.com	

CLARENCE DARROW

The unvaccinated don't care what the vaccinated do, or what they read. But now suddenly the vaccinators want to take away the right of anyone to disagree with their beliefs, and even the right to study the issue.



Criminally Misleading by Manipulating Data

"In a meta-analysis of results from 20 cohort and case-control studies, Voordouw et al. (6) found that flu shots reduce winter deaths by 50%, on average; and in a more recent study, Nichol et al. (19) reported a 48% reduction in all-cause mortality among the elderly during flu season."

"We found that flu shots reduced all-cause mortality among elderly Kaiser Permanente members by 4.6% during 9 laboratory-defined flu seasons in Northern California."

Facts:

- Mortality flu season 7.8% in vaccinated
- Mortality flu season 9.8% unvaccinated
- Standard death rate 4.6%
- So instead of the difference of 7.8% from 9.8% they took the standard death rate of 4.6% vs 9.8%

Am J Epidemiol 170: 650-656



THE FUTURE OF MEASLES IN HIGHLY IMMUNIZED POPULATIONS A MODELING APPROACH

American Journal of Epidemiology

Volume 120, Issue 1 Pp. 39-48.

- The susceptibles at this time were distributed evenly throughout all age groups.
- The model did not consider the potential effect of waning immunity.
- The results of this study suggest that measles elimination in the United States has been achieved by an effective immunization program aimed at young susceptibles combined with a highly, naturally immunized adult population.
- However, despite short-term success in eliminating the disease, long-range projections demonstrate that the proportion of susceptibles in the year 2050 may be greater than in the prevaccine era.
- Present vaccine technology and public health policy must be altered to deal with this eventuality.

